



“জীবনের জন্য বিজ্ঞান”

বাংলাদেশ বিজ্ঞান ও শিল্প গবেষণা পরিষদ (বিসিএসআইআর)
BANGLADESH COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH (BCSIR)
Institute of Food Science & Technology (IFST)

ANALYSIS REPORT

ASC Ref No. : F-1963
Date- 26.12.2024
Unit (Lab/ Inst.) Ref. : Director, IFST, BCSIR, Dhaka
Date- 26.12.2024

Lab/ Sample ID : FTRS/240672
Number of Sample : 01 (One)
Sample Receiving Date : 26.12.2024
Sample Description: Prolife Diacare Plus
Test Commencement Date : 29.12.2024
Test Completion Date : 12.01.2025
Client's Details : Md. Kayser Hamid
Managing Director
Prolife Agro Food Products
Amin Market, Khatungonj
Kotwali, Chattogram.
Mobile: 01819-362530
Report Delivery Date : 13.01.2025

Ref. No. : Nil
Date : 24.12.2024

Details:

Serial No.	Description of Sample	Test Parameter	Detected/ Not detected	Amount
01.	Prolife Diacare Plus	Aflatoxins (B ₁ , B ₂ , G ₁ , G ₂), in µg/kg	Not detected	--

Method : HPLC with fluorescence detector
Detection limit: 0.5 µg/kg (Aflatoxins)

Maximum Residue Limit (MRL): a) Aflatoxin B₁: 2 µg/kg; b) Aflatoxins (B₁, B₂, G₁, G₂): 4 µg/kg
[As per Commission Regulation (EC) No. 1881/2006]

Comments : Aflatoxin (B₁, B₂, G₁, G₂) could not be detected in the supplied Prolife Diacare Plus sample.

Puja Saha
13.01.2025

Analyst

PUJA SAHA
Scientific Officer
Institute of Food Science & Technology (IFST)
BCSIR, Dhanmondi, Dhaka-1205, Bangladesh

Tariqul
13.01.25

Supervisor

MOHAMMAD TARIQUL HASSAN
Principal Scientific Officer
Institute of Food Science & Technology (IFST)
BCSIR, Dhanmondi, Dhaka-1205, Bangladesh

Habibur
13.01.25

Director

Md. Habibur Rahman Bhuiyan
Director (Addl. Charge)
Institute of Food Science & Technology
BCSIR, Dhaka

Note :

- The results reported here are based only on the supplied samples in this laboratory.
- Any complain about test report will not be acceptable after one month from the date of issuing of the said report.
- This report/result shall not be reproduced/ published without prior approval of the authority.

Analytical Service Cell

Dr. Quadrat-i-Khuda Road, Dhanmondi, Dhaka- 1205, Bangladesh
Phone : 9671108 FAX: 88-02-9671108 E-mail: asc@bcsir.gov.bd